



# AutoPool®

## AutoPool® 4.0

- PRIVATE LABELLING BRANDING
- REMOTE ACCESS
- GEOGRAPHICAL EXCLUSIVITY
- MULTI POOL
- STANDARD PRODUCTS
- BESPOKE PRODUCTS
- INTEGRATED VFD CONTROL
- SIMPLE OPERATOR INTERFACE
- SOPHISTICATED CONTROLS

# NEW!

**NOW WITH MUTODRIVE®  
INCLUDED FREE ON  
ALL AUTOPOOLS!**

# PROCESS POOLS

Powered by  
**Pi<sup>π</sup>**



**MADE IN THE UK**



**EST. 1998**



**ISO 9001 ✓**

**ISO 14001 ✓**

**ISO 45001 ✓**



**NEW WEBSITE  
LAUNCHED 2022**

**WWW.PROCESSPOOLS.COM**





**DEDICATED DIVISION  
'PROCESS POOLS'**



**DOUBLE QUEEN'S  
AWARD RECIPIENT  
2021**

# AutoPool® 4.0



## INTRODUCTION

In 2008 Process Instruments took its drinking water controllers, with drinking water quality sensors, and we made a high-quality, low-cost pool controller.

Now 15 years later, having established the pool controller all over the world, Pi is launching the third version with a new pool division within Pi; Process Pools.

## PRODUCTS

Choose from six preconfigured models (see next page) or configure your own 'Autopool® Bespoke' system and 'Autopool® 4.0 Bespoke' from up to 20 different sensors or 100+ different configurations.

## SAVE MONEY WITH MUTODRIVE®

MutoDrive® is the control algorithm that optimises the recirculating pump dependant on bather load; saving on electricity, not just at night, but during the day when electricity costs are highest.





## AUTOPOOL® ORP

Includes: MutoDrive®, pH, temperature, ORP, and 2 control outputs via relays. Back-board mounted with filter and flow

AutoPool®



## AUTOPOOL® CHLORINE

Includes: MutoDrive®, pH, temperature, free chlorine and 2 control outputs via relays. Back-board mounted with filter and flow

AutoPool®



## AUTOPOOL® DUO

Includes: MutoDrive®, pH, temperature, free chlorine, ORP and 2 control outputs via relays. Back-board mounted with filter and flow

AutoPool®



## AUTOPOOL® 4.0 ORP

Includes: MutoDrive®, pH, temperature, ORP and 2 control outputs via relays and 4-20mAs plus either LAN or GPRS Modem IoT Comms. Back-board mounted with filter and flow regulation.

AutoPool® 4.0



## AUTOPOOL® 4.0 CHLORINE

Includes: MutoDrive®, pH, temperature, free chlorine and 2 control outputs via relays and 4-20mAs plus either LAN or GPRS Modem IoT Comms. Back-board mounted with filter and flow

AutoPool® 4.0



## AUTOPOOL® 4.0 DUO

Includes: MutoDrive®, pH, temperature, free chlorine, ORP and 2 control outputs via relays and 4-20mAs, plus either LAN or GPRS Modem IoT Comms. Back-board mounted with filter and flow

AutoPool® 4.0



**EASE of USE**



**ENVIRONMENTALLY RESPONSIBLE**



**ENHANCED IoT CONNECTIVITY**




**LOW TOTAL COST of OWNERSHIP**



**INDUSTRY LEADING SUPPORT**



**MUTODRIVE® INCLUDED WITH ALL AUTOPOOLS®**



*AutoPool® 4.0 Duo with additional pool*

## ENVIRONMENTALLY SOUND

- The best control uses the least chemicals
- Controlling the pool recirculation pump based on bather demand means much lower electricity usage with MutoDrive®
- Higher quality sensors means less sensor maintenance

## EASE of USE

- Simple installation in any pool or spa
- Everything an operator needs to do can be done from a single screen
- Pre-configured to suit most pools

## ENHANCED CONNECTIVITY

- World's first MQTT live data connection
- Industry leading cloud based pool controller reporting
- Connects to almost any Building Management System (BMS)

## INDUSTRY LEADING SUPPORT

- Including a three year, no quibble warranty
- Online support on demand
- Bespoke installation manuals and video tutorials

## LOW TOTAL COST of OWNERSHIP

- Low purchase cost
- Low maintenance cost
- Massive electricity savings







Scan here for  
maintenance and  
calibration guides

Flow Sensor

pH

ORP

Chlorine

Outlet

# RESELLERS

- ✓ Private label branding (no minimum order)
- ✓ Geographical exclusivity
- ✓ Product training
- ✓ Online support by email and telephone
- ✓ Free MutoDrive® with all AutoPools®

EMAIL: [sales@processpools.com](mailto:sales@processpools.com)  
VISIT: [www.processpools.com](http://www.processpools.com)  
CALL: +44 1282 422835

Powered by

Pi<sup>π</sup>